

Phantom Screens NZ

DOOR SCREENS

Phantom Door Screens

Fresh air through open doors with the insects kept out - and the screen disappears when you are done.

1999

NZ owned since

3,000+

Homes screened

4.9★

Average Google rating

Tauranga

Our home base & factory

DOOR SCREENS

Phantom Door Screens

One retractable door screen, custom-made to your opening - the cassette housing simply scales with the span. The mesh is retained in the side tracks, and the whole screen disappears into its housing when you are not using it.

ONE SCREEN, THREE HOUSING SIZES

Housing	System	Typical use	Span
45 mm	MeshLock	Front and back doors, single sliders	to ~1.2 m wide
60 mm	MeshLock	Wider sliders and stackers	to ~2.0 m wide
80 mm	Wall Screen	Bifolds, stackers, and wide openings	openings to ~9 m with standard insect mesh (~4.5 m per screen, two meeting in the middle)

WHY PEOPLE CHOOSE IT

- **Disappears when not in use** - the screen retracts into its cassette housing
- **Retained mesh** - held in the side tracks to resist blow-outs
- **One screen, three housings** - the system scales from a front door to a 9 m bifold
- **Colour-matched** - powder-coated to the Dulux range, Matt as standard
- **Retrofit or new build** - made to the millimetre for your opening



Wall Screens across a wide Tauranga opening - two screens meeting in the middle.



MeshLock on a ranch slider - Hoe-o-Tainui, Waikato.

More online

Scan for the full product page, the care guide, and your warranty - or find everything at phantomscreens.co.nz.



Product page
[/door-screens](#)



Care guide
[/guides/care](#)




Warranty
[/warranty](#)

Specifications

Heights	MeshLock to ~2.5 m; Wall Screen to ~3.0 m
Span note	Maximums are with standard insect mesh - heavier meshes (solar, pet) run to smaller spans, confirmed at the measure
Operation	Smooth retractable action; mesh retained in the side tracks to resist blow-outs
Finish	Powder-coated, colour-matched to the Dulux range - Matt as standard
Fit	Retrofit or new build, made to the millimetre

PROFILES



45 mm and 60 mm MeshLock housings with tracks (left); 80 mm Wall Screen housing, tracks, and recessed options (right). Dimensions in millimetres.

MESH OPTIONS

- **Standard insect mesh** - 18x14 weave, ~58% open - what almost every home chooses.
- **Midge & no-see-um mesh** - finer 18x18 weave (~48% open) for coasts, estuaries, and bush.
- **Pet mesh** - PawScreen Lite vinyl-coated polyester (~45% open) - takes paws and claws.
- **Solar / privacy mesh** (80 mm Wall Screen spans) - E-Screen, 10% or 6% openness - cuts heat, glare, and UV.

COLOUR



The 20 standard colours (indicative), Matt finish as standard - any other Dulux colour as a custom. Names and codes at phantomscreens.co.nz/guides/colour-options; confirmed against physical samples at the measure-up.

Backed by our Limited Lifetime Warranty.

Ready for an indicative price?

Enquire online with a couple of photos and rough sizes - you can upload the photos straight to the form. Usually no visit needed, and no obligation.

phantomscreens.co.nz/quote

Or call 0800 88 12 12

